



We are currently updating the OP Help Center content for the release of OP 20. OP 20 (official version 20.0.x) is the certified, 2015 Edition, version of the Office Practicum software. This is displayed in your software (**Help tab > About**) and in the Help Center tab labeled Version 20.0. We appreciate your patience as we continue to update all of our content.

Objective 2: Electronic Prescribing

Last Modified on 02/25/2020 1:03 pm EST

At time of attestation you will need a screenshot of the QIC and a download of the SQL to a CSV file. All information should be saved to your "Book of Evidence". This can be an electronic folder of all documentation for the reporting period.

Objective 2: E-Prescribing with Formulary Query

>60% of all medications, controlled and non-controlled medications, written during the reporting period are queried for a drug formulary and transmitted electronically.

DENOMINATOR:


- All medication prescribed during the reporting period, this includes controlled and noncontrolled medications.
- Prescription with a Purpose of Med to dispense or Med unformatted.
- Prescription qualifies by Rx start date, not the date written.
- Will include prescriptions that were sent as a proxy where the provider was the Prescriber.

NUMERATOR:

- Prescription that qualified in the denominator were sent electronic.
- Queried for drug formulary.








Drug Formulary Query - Enabled during the Entire Reporting Period

Set Provider Formulary Checking

- 1. From the **Medications** tab of a patient chart, click **New** to add a new medication.
- 2. Search for any medication.
- 3. From the Medication Finder window, click the Check Formulary checkbox.
- 4. Save as a Preference.
- 5. Complete the above steps for all providers.




Set Formulary Preference

- 1. Navigate to Admin tab > Global Preferences > Special tab > Prescribe tab
- Deselect the Allow user to make formulary checking optional when writing prescription checkbox.
- 3. Click the Exit button.







Note: This Global Preference is defaulted to allow providers to individually set the preference for Formulary checking. It is recommended to have all prescribers set the Formulary checkbox and save as a preference in the Medication Finder then deselect the checkbox in Global Preferences to disable the feature so that it cannot be accidentally changed.

耳

Exclusions for Objective 2:

- Writes fewer than 100 permissible prescriptions during the reporting period.
- Does not have a pharmacy within their organization and there are no pharmacies that accept electronic prescriptions within 10 miles of the practice location at the start of the reporting period.

SQL for Objective 2

The QIC does not show patients that met and the patients that did not meet the Objective. Run the below SQL below for the detail information. A final run of the SQL should done at time of attestation and saved to a CSV file for audit purposes. If you are not familiar with running SQL's, click here for detail information.

Click the below link to run the SQL for the measure of Objective 2.

• E-Prescribe with Formulary Query

