

### Important Content Update Message

We are currently updating the OP Help Center content for the release of OP 20. OP 20 (official version 20.0.x) is the certified, 2015 Edition, version of the Office Practicum software. This is displayed in your software (**Help tab > About**) and in the Help Center tab labeled Version 20.0. We appreciate your patience as we continue to update all of our content.

# SQL: MU State Group 1 Individual

Last Modified on 11/26/2019 2:55 pm EST

## About

This SQL Code provides attestation results for states that were grouped into Group 1 in the **MU: State Group SQL Table**. The report is based on the provider's decision to provide individual attestation results.



**Note:** Export, save, and print all results for audit purposes at the time you run them for actual volume validation.

Export, save, and print all results for audit purposes at the time you run them for actual volume validation.

A sample image of this SQL report run in the Database Viewer is shown below:

Query name: MU State Group 1 Individual
Run
Extract

Description:

Results filename:

Save CSV
Print

```

by staffname)select distinct staffname, med_enc, non_med_enc, round(((med_enc / (non_med_enc +
med_enc))*100),1) as medicaid_pct from tleft outer join (select encounters as Med_enc, staffname from t where
det = 'Medicaid') m on m.staffname = t.staffnameleft outer join (select encounters as non_med_enc, staffname
from t where det = 'not Medicaid') n on n.staffname = t.staffnamewhere staffname <> ''

```

Send

Drag a column header here to group by that column

STAFFNAME	MED ENC	NON MED EN	MEDICAID P
Karen David		926	
Sharon Sowinski-Mueller		1025	
Susan Kressly		805	

## Caveats

- Provider decision to submit results as an individual.
- State is listed in group 1 (see [MU: State Group SQL Table](#) and [MU: State Assumptions](#)).
- Depending on your billing, you may need to make some adjustments to the SQL code to [exclude certain CPT codes](#) from Encounter visits and/or to [exclude some insurance payers](#) as Medicaid.

## Code

To highlight and copy the code below to your clipboard, simply click the **Copy** button.

Copy

```
with t as
(
select staffname, count(uniqid) as encounters, det
from
(
select distinct uniqid, staff1.staffname, a.ins_carrier_code, a.ins_carrier_
code_other, i1.claim_filing_code as c1, i2.claim_filing_code as c2, case whe
n (i1.claim_filing_code = 'MC' or i2.claim_filing_code = 'MC') then 'Medicai
d' else 'not Medicaid' end as det from
(
select patno, rend_addr_id, datel, (patno || ' ' || datel) as uniqid, cptco
de, atl.ins_carrier_code, atl.ins_carrier_code_other from archive_transactio
ns atl
where atl.cptcode not in ('1','2','3','4') and pos not in (21,23) and atl.
cptcode not in ('113','99999','P1001') and atl.ins_carrier_code not in ('XCL
UDE') and
atl.datel between :attestation_start and ( :attestation_start + 89) and atl
.archive_flag = 1 and patno >99
) a
left outer join ins_carrier i1 on i1.ins_carrier_code = a.ins_carrier_code
left outer join ins_carrier i2 on i2.ins_carrier_code = a.ins_carrier_code_o
ther
left outer join staff1 on staff1.staffid = a.rend_addr_id
)
group by staffname, det
order by staffname)

select distinct staffname, med_enc, non_med_enc, round(((med_enc / (non_med_
enc + med_enc))*100),1) as medicaid_pct from t
left outer join (select encounters as Med_enc, staffname from t where det =
'Medicaid') m on m.staffname = t.staffname
left outer join (select encounters as non_med_enc, staffname from t where de
t = 'not Medicaid') n on n.staffname = t.staffname
where staffname <> ''
```