



Important Content Update Message

We are currently updating the OP Help Center content for the release of OP 20. OP 20 (official version 20.0.x) is the certified, 2015 Edition, version of the Office Practicum software. This is displayed in your software (**Help tab > About**) and in the Help Center tab labeled Version 20.0. We appreciate your patience as we continue to update all of our content.

SQL: MU State Group 1 Group

Last Modified on 12/09/2019 9:24 am EST


About

This SQL Code provides attestation results for states that were grouped into Group 1 in the State Group SQL Table. The report is based on the provider's decision to provide group attestation results.



Note: Export, save, and print all results for audit purposes at the time you run them for actual volume validation.

A sample image of this SQL report run in the Database Viewer is shown below:



Caveats

- Provider decision to submit results as an group.
- State is listed in group 1 (see MU: State Group SQL Table and MU: State Assumptions).
- Depending on your billing, you may need to make some adjustments to the SQL code to
 exclude certain CPT codes from Encounter visits and/or to exclude some insurance payers
 as Medicaid.

Code

To highlight and copy the code below to your clipboard, simply click the Copy button.





Сору

```
with t as
select count (uniqid) as encounters, det
(
select distinct uniqid, staff1.staffname, a.ins carrier code, a.ins carrier
code other, i1.claim filing code as c1, i2.claim filing code as c2, case whe
n (i1.claim filing code = 'MC' or i2.claim filing code = 'MC') then 'Medicai
d' else 'not Medicaid' end as det from
select patno, rend_addr_id, date1, (patno || ' ' || date1) as uniqid, cptco
de, atl.ins carrier code, atl.ins carrier code other from archive transactio
ns at1
where at1.cptcode not in ('1','2','3','4') and pos not in (21,23) and at1.c
ptcode not in ('113','99999','P1001') and atl.ins carrier code not in ('XCLU
DE') and
atl.datel between :attestation start and (:attestation start + 89) and atl
.archive flag = 1 and patho >99
) a
left outer join ins carrier il on il.ins carrier code = a.ins carrier code
left outer join ins carrier i2 on i2.ins carrier code = a.ins carrier code o
left outer join staff1 on staff1.staffid = a.rend addr id
group by det
)
select c.*, round( (c.medicaid num / c.total enc)*100,1) as medicaid pct fro
m
select a.*, b.non medicaid num, a.Medicaid num + b.non medicaid num as total
_enc from
select 'Practice Totals' as r, t.encounters as Medicaid num from t
where det = 'Medicaid') a
left outer join (select 'Practice Totals' as r, t.encounters as non_Medicaid
num from t where det = 'not Medicaid') b on a.r = b.r
) C
```





