

Important Content Update Message

We are currently updating the OP Help Center content for OP 20. We appreciate your patience as we continue to make these updates. To locate the version of your software, navigate to: **Help tab > About**

SQL: MU State Group 3 Individual

Last Modified on 12/10/2020 12:48 pm EST


About

This SQL Code provides attestation results for states that were grouped into Group 3 in the [MU: State Group SQL Table](#). The report is based on the provider's decision to provide individual attestation results.



Note: Export, save, and print all results for audit purposes at the time you run them for actual volume validation.

A sample image of this SQL report run in the Database Viewer is shown below:



The screenshot shows the Database Viewer interface with the following details:

- Query name:** MU State Group 3 Individual
- Description:**
- Results filename:**
- SQL Code:**

```
group by staffname, det
order by staffname)
select distinct staffname, med_enc, non_med_enc, round(((med_enc / (non_med_enc + med_enc))*100),1) as
```
- Buttons:** Run, Extract, Save CSV, Print, Send
- Table:**

STAFFNAME	MED ENC	NON MED EN	MEDICAID P
Demo Doctor		1	
Jenna Stone		1	
Karen David		629	
Sharon Sowinski-Mueller		305	
Susan Kressly	2	477	0.4

Caveats

- Provider decision to submit results as an individual.
- State is listed in group 3 (see [MU: State Group SQL Table](#) and [MU: State Assumptions](#)).
- Depending on your billing, you may need to make some adjustments to the SQL code to **exclude certain CPT codes** from Encounter visits and/or to **exclude some insurance payers** as Medicaid.

Code

To highlight and copy the code below to your clipboard, simply click the **Copy** button.

Copy

```
with t as
(
select staffname, count(uniqid) as encounters, det
from
(
select distinct uniqid, staff1.staffname, a.ins_carrier_code, a.ins_carrier_code_other, i1.claim_filing_code as c1, i2.claim_filing_code as c2, case when (i1.claim_filing_code = 'MC' or i2.claim_filing_code = 'MC') then 'Medicaid' else 'not Medicaid' end as det from
(
select patno, rend_addr_id, date1, (patno || ' ' || date1) as uniqid, cptcode, at1.ins_carrier_code, at1.ins_carrier_code_other from archive_transactions at1
where at1.cptcode not in ('1','2','3','4') and pos not in (21,23) and at1.cptcode not in ('113','99999','P1001') and at1.ins_carrier_code not in ('XCLUDE') and
at1.date1 between :attestation_start and ( :attestation_start + 89) and at1.archive_flag = 1
) a

left outer join ins_carrier i1 on i1.ins_carrier_code = a.ins_carrier_code
left outer join ins_carrier i2 on i2.ins_carrier_code = a.ins_carrier_code_other
left outer join staff1 on staff1.staffid = a.rend_addr_id
)
group by staffname, det
order by staffname)

select distinct staffname, med_enc, non_med_enc, round(((med_enc / (non_med_enc + med_enc))*100),1)
as medicaid_pct from t
left outer join (select encounters as Med_enc, staffname from t where det = 'Medicaid') m on m.staffname = t.staffname
left outer join (select encounters as non_med_enc, staffname from t where det = 'not Medicaid') n on n.staffname = t.staffname
where staffname <> ''
```