



Important Content Update Message

We are currently updating the OP Help Center content for OP 20. We appreciate your patience as we continue to make these updates. To locate the version of your software, navigate to: **Help tab > About**.

SQL: MU State Group 3 Drill Down

Last Modified on 01/29/2021 3:00 pm EST


About

This SQL Code provides detailed attestation results at the patient level for states that were grouped into Group 3 in the State Group SQL Table. The report provides patient-level detail for audit purposes.



Note: Export, save, and print all results for audit purposes at the time you run them for actual volume validation.

A sample image of this SQL report run in the Database Viewer is shown below:



Caveats

- Individual drill down requires the providers ID number to retrieve only that provider's data. If you prefer to select from a dropdown and filter to the provider, you will want to use the Group level detail report.
- Depending on your billing, you may need to make some adjustments to the SQL code to to to exclude certain CPT codes from Encounter visits and/or to exclude some insurance payers as Medicaid.
- Provider decision to submit results as an individual.
- State is listed in group 3 (seeMU: State Group SQL Tableand MU: State Assumptions).

Code

To highlight and copy the code below to your clipboard, simply click the Copy button.







```
select distinct patient_date_of_service, patno, date_of_service, patient_name, staffname, b.ins_car
rier_code, icl.ins_fullname, b.ins_carrier_code_other, ic2.ins_fullname, medicaid_id, determinati
from (
select patient_date_of_service, patno, patient_name, date_of_service, staffid, staffname, ins_carri
er_code, ins_carrier_code_other, c1,c2, determination , case when determination = 'not Medicaid' th
en '-' when c1 = 'MC' then insured_id when c2 = 'MC' then insured_id_other else '*-' end as Medicai
d id
from
select distinct uniqid as patient date of service, patno, datel as date of service, patient name,
staff1.staffid, staff1.staffname, a.ins carrier code, a.ins carrier code other, i1.claim filing co
de as c1, i2.claim_filing_code as c2, case when (i1.claim_filing_code = 'MC' or i2.claim_filing_cod
e = 'MC') then 'Medicaid' else 'not Medicaid' end as determination, insured_id, insured_id_other fr
\circm
select patno, (fname || ' ' || lname) as patient_name, rend_addr_id, date1, (patno || ' ' || da
tel) as uniqid, cptcode, atl.ins_carrier_code, atl.ins_carrier_code_other, atl.insured_id, atl.insu
red id other from archive transactions atl
inner join register on register.patno = at1.patno
where atl.cptcode not in ('1','2','3','4') and pos not in (21,23) and atl.cptcode not in ('113','
99999','P1001') and
atl.ins_carrier_code not in ('XCLUDE') and
 atl.date1 between :attestation start and (:attestation start + 89) and atl.archive flag = 1
left outer join ins_carrier i1 on i1.ins_carrier_code = a.ins_carrier_code
left outer join ins_carrier i2 on i2.ins_carrier_code = a.ins_carrier_code_other
left outer join staff1 on staff1.staffid = a.rend addr id
order by determination
)
) b
inner join ins_carrier ic1 on ic1.ins_Carrier_Code = b.ins_carrier_code
left outer join ins carrier ic2 on ic2.ins carrier code = b.ins carrier code other
order by patno, date_of_service
```

